



| 波長 (nm) | NIR7 ... |
|---------|----------|
| 450.00  | 20.6841  |
| 470.00  | 30.5997  |
| 490.00  | 48.7420  |
| 510.00  | 72.6004  |
| 530.00  | 89.6469  |
| 550.00  | 91.0960  |
| 570.00  | 83.6428  |
| 590.00  | 76.0030  |
| 610.00  | 71.1664  |
| 630.00  | 69.2888  |
| 650.00  | 69.5545  |
| 670.00  | 71.4879  |
| 690.00  | 74.6169  |
| 710.00  | 78.1753  |
| 730.00  | 82.1015  |
| 750.00  | 85.3004  |
| 770.00  | 88.1174  |
| 790.00  | 90.7851  |
| 810.00  | 92.4576  |
| 830.00  | 93.5652  |
| 850.00  | 94.4202  |
| 870.00  | 94.8475  |
| 890.00  | 95.2284  |
| 910.00  | 95.4607  |
| 930.00  | 95.5576  |
| 950.00  | 95.6958  |
| 970.00  | 95.9097  |
| 990.00  | 96.0281  |
| 1010.00 | 95.9606  |
| 1030.00 | 96.1138  |
| 1050.00 | 96.0566  |
| 1070.00 | 95.8972  |
| 1090.00 | 95.4928  |
| 1110.00 | 95.0946  |
| 1130.00 | 94.6108  |
| 1150.00 | 93.9072  |
| 1170.00 | 93.0566  |
| 1190.00 | 91.9458  |
| 1210.00 | 90.8926  |
| 1230.00 | 89.7611  |
| 1250.00 | 88.4367  |
| 1270.00 | 87.2797  |
| 1290.00 | 85.6780  |
| 1310.00 | 84.2623  |
| 1330.00 | 82.5165  |
| 1350.00 | 80.9184  |
| 1370.00 | 78.8885  |
| 1390.00 | 76.4937  |
| 1410.00 | 75.6696  |
| 1430.00 | 74.5618  |
| 1450.00 | 73.2751  |
| 1470.00 | 71.9802  |
| 1490.00 | 70.6687  |
| 1510.00 | 69.4811  |
| 1530.00 | 68.3110  |
| 1550.00 | 67.1756  |
| 1570.00 | 65.8593  |
| 1590.00 | 64.5900  |
| 1610.00 | 63.5398  |
| 1630.00 | 62.5389  |
| 1650.00 | 61.6314  |
| 1670.00 | 60.4977  |
| 1690.00 | 59.2514  |
| 1710.00 | 58.1425  |
| 1730.00 | 57.1926  |
| 1750.00 | 56.3903  |
| 1770.00 | 55.9705  |
| 1790.00 | 55.3372  |

[測定プロパティ] グレ  
 波長範囲(nm): 450.00 ~ 1800.00  
 スキャン スピード: 中速  
 サンプルングピッチ: 0.5  
 オート サンプルングピッチ: 無効  
 測定モード: オート

[装置プロパティ]  
 装置の種類: UV-3600Plus シリーズ  
 測光値: 透過率  
 スリット幅: (20)  
 時定数: 0.1 秒  
 光源: 自動  
 光源切替波長: 282.00 nm  
 検出器ユニット: 外部(3検出器)  
 検出器切替波長: 780.00 nm 1800.00 nm